



SECTIONS TO BE VIEWED
IN THIS DIRECTION

SECTIONS TO BE VIEWED
IN THIS DIRECTION

SCALLOP CEDAR SHAKES
ON #30 FELT
ON 7/16" O.S.B. SHEATHING
2X6 @ 16" O.C. FRAME WALL

MANUFACTURED
FRAME TRUSSES
@ 2' O.C.
W/ MIN R32 BATT INSUL @ CEILING
TO BE DESIGNED
BY OTHERS

5-2x6 B. UP POST
WITHIN 2x6 @ 16" O.C.
FRAME WALL
TYP. x3

6 1/4"x12" LAM BEAM
THRU BOLTED @ 3' O.C.
TO WRC LOG RAFTERS
(BELOW)
(TO BE ENG.)

MANUFACTURED
FRAME TRUSSES
@ 2' O.C.
W/ MIN R32 BATT INSUL. @ CEILING
TO BE DESIGNED
BY OTHERS

KNEE BRACE TO SUPPORT
AESTHETIC RIDGEPOLE
30° INCLINE
TYP. x2

6-2x4 B. UP POST
TO SUPPORT RIDGEPOLE & KNEE BRACE

3 1/8"x10" LAM BARGE BEAM

2x6 @ 2' O.C.
LOOKOUT

ATTIC

ATTIC

VAULTED ROOF TO BE:
METAL CLADDING
ON ICE & WATER SHIELD AND/OR
#30 FELT PAPER ON 7/16" OSB SHEATHING
2"x12" @ 2' O.C.
MIN. R32 INSULATION W/ MIN 2" AIRSPACE ABOVE FOR ROOF
VENTILATION FROM VENTED ATTICS TO VENTED RIDGE
6MIL POLY V.B.
CLG. FINISH TO OWNERS SPECS.

ROOF PLAN
SNOW LOAD: 56 lbs/ SQ. FT.

ALL ROOF BEAMS
W/ FLARE BUTTS TO EXT.
TYP.

ALL ROOF LOGS TO BE W.R.C.

NOTE:
COMPLETE SET OF
PLANS TO BE
ENGINEERED &
STAMPED BY
LICENSED ENGINEER

ALL DIMENSIONS TO BE VERIFIED ON SITE BY GENERAL CONTRACTOR
ALL DIMENSIONS ARE CONSTRUCTION TIME DIMENSIONS
CHECK & VERIFY ALL DIMENSIONS & SPECIFICATIONS ON THIS SET
OF PLANS BEFORE STARTING CONSTRUCTION
ALL LOG DIAMETER SIZE TO BE MEASURED AT MID SPAN
LOCAL BUILDING CODES AND PRACTICES APPLY WITH ALL
LICENSED ENGINEER

R.C.M. Cad Design
Drafting Ltd.

200-34314 MARSHALL RD.
ABBOTSFORD, B.C. V2S 1L5
PHONE: (604) 850-6723 FAX: (604) 850-6724
www.rcmdesign.ca

REVISION:	DATE:	DESCRIPTION:
REV. 1		
REV. 2		
REV. 3		

SCALE: 1/4" = 1'-0"

DATE: OCTOBER 19, 2006

DRAWN BY: C.C.

CHECKED BY: C.C.

LOG BUILDER:

CLIENT: PORT ALBERNI CHAMBER OF COMMERCE

TITLE: ROOF PLAN

03A

12